

For Compliance with OSHA 29 CFR 1910.1200 and ANSI Z400.1-1998

# Section 1: Identification

Base, PCCA Versabase (TM) Cream **Product Name** 

Not available. **Commercial Name Product Use** Not available. **Restrictions On Use** Not available.

**Product Code** 30-3641

> 9901 South Wilcrest Houston, TX 77099

**PCCA** 

Phone: 1-800-331-2498 Fax: 1-800-874-5760

In case of emergency contact: CHEMTREC (24hr) 1-800-424-9300

#### Section 2: Hazard(s) Identification

**OSHA Haz Com:** Eye limit.2A H319 Full text of hazard classes and H-statement: see section 16

CFR 1910.1200

Company

**WARNING** Signal Word

Hazard Statement(s) H319- Causes serious eye irritation

Pictogram(s) or Symbol(s)

#### Precautionary Statement(s):

Prevention P264:Wash hands, forearms and face thoroughly after handling. P280-Wear protective

gloves/protective clothes/eye protection/ face protection

P305+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if Response

present and easy to do. Continue rinsing. P337+P313-If eye irritation persists:Get medical

advice/attention

Not available. Storage Disposal Not available.

#### Section 3: Composition/Information on Ingredients

Substance/Mixture Base

Base, PCCA Versabase (TM) Cream Components

N/A % By Weight CAS# N/A N/A **Molecular Weight Chemical Formula** N/A Synonym(s) N/A

(Revision Date 7/20) Page 1 of 5



Mixtures				
Name	CAS#	% by Weight	TLV/PEL	LC50/LD50
Water	7732-18-5	N/A	N/A	N/A
Emulsifying Wax	None	N/A		
Octadecanoic Acid, 2-ethylhexyl	22047-49-0	N/A		
ester				
Decamethylcyclopntasiloxane	541-02-6	N/A		
D-Glucitol	50-70-4	N/A		
2-H-1-Benzopyran-6-ol,	7695-91-2	N/A		
3,4-dihydro-2,5,7,8-teramethyl-2(				
4,8,12-trimethyltridecyl)-,acetate				
Pentanoic Acid,4-oxosodium	19856-23-6	N/A		
salt				
Lactobacillus ferment	1686112-36-6	N/A		
Sodium Benzoate	532-32-1	N/A		
Citric Acid	77-92-9	N/A		
Aloe vera, extract	85507-69-3	N/A		
Glycin, N,N'-1,2-ethanediylbis[N-	6381-92-6	N/A		
(carboxymethyl)-,disodium				
salt,dihydrate				

(Revision Date 7/20) Page 2 of 5



For Compliance with OSHA 29 CFR 1910.1200 and ANSI Z400.1-1998

#### Section 4: First-Aid Measures

**Inhalation** If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing

**Skin Contact** After contact with skin, wash immediately with plenty of water and soap.

Eye Contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, ifpresent,

after the first 5 minutes, then continue rinsing eye. Call a poison center or doctor for treatment adivce.

**Ingestion** Get immediate medical attention.

Symptoms/Effects

Acute Symptoms/effects after inhalation:May cause respiratory irritation. Symptoms/effects after skin contact:May

cause moderate irritation. Symptoms/effects after eye contact:May cause serious eye irritation.

Symptoms/effects after ingestion:May be harmful if swallowed.

Delayed Symptoms/effects after inhalation:May cause respiratory irritation. Symptoms/effects after skin contact:May

cause moderate irritation. Symptoms/effects after eye contact:May cause serious eye irritation.

Symptoms/effects after ingestion: May be harmful if swallowed.

#### **Immediate Medical Attention**

Not available.

# Section 5: Fire-Fighting Measures

### Suitable Extinguishing Media

Use extinguishing media appropriate for surrounding fire

### Unsuitable Extinguishing Media

Not available.

#### **Products of Combustion**

Not available.

#### **Firefighters Special Equipment and Precautions**

Firefighters should wear full protective gear

# Section 6: Accidental Release Measures

Not available.

#### Section 7: Handling and Storage

No special handling required.

### Section 8: Exposure Controls/Personal Protection

Exposure Limits Not available.
Engineering Controls Not available.
Personal Protection Not available.

(Revision Date 7/20) Page 3 of 5



For Compliance with OSHA 29 CFR 1910.1200 and ANSI Z400.1-1998

#### Section 9: Physical and Chemical Properties

Appearancesmooth creamOdorCharacteristicOdor ThresholdNot available.

**Melting Point** Not available. рΗ 4.5-6.5 **Freezing Point** Not available. Vapor Pressure Not available. **Boiling Point/Range** Not available. **Vapor Density** Not available. **Decomposition temperature** Not available. **Viscosity** 49000-82000 cP

Partition Coefficient: Not available. Evaporation Rate Not available.

n-octanol/water

Flash Point Not available. Autoignition temperature Not available.

Flammability

Not available.

Flammability or Explosive Limits:

Lower Not available.Upper Not available.

Solubility(ies) Not available.

Other Not available.

#### Section 10: Stability and Reactivity

**Reactivity** Not available.

Chemical Stability The product is stable at normal handling and storage conditions

Hazardous Polymerization Not available.

Conditions to Avoid Extremely high or low temperatues

Incompatible Materials Not available.

Hazardous Decomposition Products Not available.

# Section 11: Toxicological Information

RTECS Not available.

#### **Acute Toxicity**

Water(7732-18-5): LD50 oral rat:>90 ml/kg Decamethylcyclopentasiloxane (541-02-6):LD50 oral rat: >24134 mg/kg D-Glucitol(50-70-4): LD50 oral rat:15900 mg/kg Citric Acid(77-92-9):LD50 oral rat:3 g/kg; ATE US (oral):3000 mg/kg Sodium Benzoate (532-32-1): LD50 oral rat:4070 mg/kg; ATE US (oral):2100 mg/kg body weight

#### Skin Corrosion/Irritation

Not available.

# Serious Eye Damage/Irritation

causes serious eye irritation

#### Respiratory or Skin Sensitization

Not available.

### **Germ Cell Mutagenicity**

Not available.

#### Carcinogenicity

Not available.

#### **Reproductive Toxicity**

Not available.

# **Routes of Entry**

Not available.

(Revision Date 7/20) Page 4 of 5



For Compliance with OSHA 29 CFR 1910.1200 and ANSI Z400.1-1998

#### Symptoms Related to Exposure

Not available.

#### **Potential Health Effects**

Not available.

Target Organ(s) Not available.

# Section 12: Ecological Information

#### **Ecotoxicity**

Citric Acid: LC50 fish 1:1516 mg/l (Exposure time:96 h-Species: Lepomis macrochirus [static]) Sodium Benzoate: LC50 fish 1: 420-558 mg/l (Exposure time:96 h-Species: Pimephales promelas [flow-through]) EC50 Daphnia 1: <650 mg/l (Exposure time:48 h-Species: Daphnia magna) LC50 fish 2: > 100mg/l Exposure time:96 h-Species: Pimephales promelas [static]

#### Persistance and Degradability

Not available.

#### **Bioaccumulative Potential**

Citric Acid: Partition coefficient n-octanol/water (Log Pow): -1.72(at 20C) Sodium Benzoate: BCF fish 1: (no bioaccumulation) Partition coefficient n-octanol/water (Log Pow):-2.13

#### **Mobility in Soil**

Not available.

#### Other Adverse Effects

Not available.

#### Section 13: Disposal Considerations

#### **Waste Disposal**

Dispose of contents/ in accordance with local/regional/national/international regulations.

#### **Disposal of Container**

Not available.

#### **Other Considerations**

Not available.

### Section 14: Transport Information

#### **DOT Classification**

Not available.

# Section 15: Regulatory Information

#### Regulations

Listed on United states TSCA (Toxic Substances Control Act) inventory

#### Other

Not available.

### Section 16: Other Information

Eye Dam. 1: Serious eye damage/eye irritation Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation Category 2A Flam. Liq. 4: Flammable liquids Category 4 H227: Combustible liquid H318: Causes serious eye damage H319: Causes serious eye irritation

(Revision Date 7/20) Page 5 of 5